

Bibliography

- Abramowitz, M. and Stegun, I. A. (1970). *Handbook of Mathematical Functions*. Dover, New York.
- Aitchison, J. (1986). *The Statistical Analysis of Compositional Data*. Chapman and Hall, London.
- Ambartzumian, R. V. (1982). Random shapes by factorisation. In Ranney, B., editor, *Statistics in Theory and Practice*. Swedish University of Agricultural Science, Umea.
- Ambartzumian, R. V. (1990). *Factorization, Calculus and Geometric Probability*. Cambridge University Press, Cambridge.
- Amit, Y. (1997). Graphical shape templates for automatic anatomy detection with applications to MRI scans. *IEEE Transactions on Medical Imaging*, 16:28–40.
- Amit, Y. and Geman, D. (1996). Shape quantization and recognition with randomized trees. Technical report, Department of Statistics, University of Chicago.
- Amit, Y. and Kong, A. (1993). Graphical templates for image matching. Technical Report 373, Department of Statistics, University of Chicago.
- Amit, Y. and Kong, A. (1996). Graphical templates for model registration. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18:225–236.
- Andersen, H., Højbjerg, M., Sørensen, D., and Eriksen, P. S. (1995). *Linear and Graphical Models for the Multivariate Complex Normal Distribution*. Springer-Verlag, New York.
- Anderson, C. R. (1997). *Object recognition using statistical shape analysis*. PhD thesis, University of Leeds.
- Anderson, T. W. and Girshick, M. A. (1944). Some extensions of the Wishart distribution. *Annals of Mathematical Statistics*, 15:345–357.

- Arad, N., Dyn, N., Reisfeld, D., and Yeshurun, Y. (1994). Image warping by radial basis functions: application to facial expressions. *Computer Vision and Graphical Image Processing: Graphical Models and Image Processing*, 56:161–172.
- Baddeley, A. J. and van Lieshout, M. N. M. (1993). Stochastic geometry models in high-level vision. In Mardia, K. V. and Kanji, G. K., editors, *Statistics and Images: Vol. 1*, pages 231–256. Carfax, Oxford.
- Bartlett, M. S. (1933). On the theory of statistical regression. *Proceedings of the Royal Society of Edinburgh*, 53:260.
- Benson, P. J. and Perrett, D. I. (1993). Extracting prototypical facial images from exemplars. *Perception*, 22:257–261.
- Besag, J. E. (1986). On the statistical analysis of dirty pictures (with discussion). *Journal of the Royal Statistical Society, Series B*, 48:259–302.
- Besag, J. E., Green, P. J., Higdon, D., and Mengersen, K. L. (1995). Bayesian computation and stochastic systems. *Statist. Sci.*, 10(1):3–66.
- Besl, P. J. and McKay, N. D. (1992). A method for registration of 3D shapes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14:239–256.
- Bhavnagri, B. (1995a). Connected components of the space of simple, closed non-degenerate polygons. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 187–188, Leeds. University of Leeds Press.
- Bhavnagri, B. (1995b). Construction of a Markov process to model a process arising in vision. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 76–81, Leeds. University of Leeds Press.
- Bingham, C., Chang, T., and Richards, D. (1992). Approximating the matrix Fisher and Bingham distributions: applications to spherical regression and Procrustes analysis. *Journal of Multivariate Analysis*, 41:314–337.
- Bookstein, F. L. (1978). *The Measurement of Biological Shape and Shape Change*. Lecture Notes on Biomathematics, Vol. 24. Springer-Verlag, New York.
- Bookstein, F. L. (1984). A statistical method for biological shape comparisons. *Journal of Theoretical Biology*, 107:475–520.
- Bookstein, F. L. (1986). Size and shape spaces for landmark data in two dimensions (with discussion). *Statistical Science*, 1:181–242.
- Bookstein, F. L. (1989). Principal warps: thin-plate splines and the decomposition of deformations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11:567–585.

ADDITIONAL TOPICS [NEED TO PRUNE SOME OF THESE AND ADD A FEW NEW ONES]373

- Bookstein, F. L. (1991). *Morphometric Tools for Landmark Data: Geometry and Biology*. Cambridge University Press, Cambridge.
- Bookstein, F. L. (1992). The morphometric synthesis: a brief intellectual history. In Levin, S. A., editor, *Commemorative 100th Volume of Lecture Notes in Biomathematics*. Springer, New York.
- Bookstein, F. L. (1994). Can biometrical shape be a homologous character? In *Homology: the Hierarchical Basis of Comparative Biology*, pages 197–227. Academic Press, New York.
- Bookstein, F. L. (1995). Metrics and symmetries of the morphometric synthesis. In Mardia, K. V. and Gill, C. A., editors, *Proceedings in Current Issues in Statistical Shape Analysis*, pages 139–153, Leeds. University of Leeds Press.
- Bookstein, F. L. (1996a). Applying landmark methods to biological outline data. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Proceedings in Image Fusion and Shape Variability Techniques*, pages 59–70, Leeds. University of Leeds Press.
- Bookstein, F. L. (1996b). Biometrics, biomathematics and the morphometric synthesis. *Bulletin of Mathematical Biology*, 58:313–365.
- Bookstein, F. L. (1996c). Landmark methods for forms without landmarks: morphometrics of group differences in outline shape. *Medical Image Analysis*, 1:225–243.
- Bookstein, F. L. (1997a). Biometrics and brain maps: the promise of the morphometric synthesis. In Koslow, S. H. and Huerta, M. F., editors, *Neuroinformatics: An Overview of the Human Brain Project*, pages 203–254, New Jersey. Lawrence Erlbaum.
- Bookstein, F. L. (1997b). Shape and the information in medical images: a decade of the morphometric synthesis. *Computer Vision and Image Understanding*, 66:97–118.
- Bookstein, F. L. and Green, W. D. K. (1993). A feature space for edgels in images with landmarks. *Journal of Mathematical Imaging and Vision*, 3:231–261.
- Bookstein, F. L. and Mardia, K. V. (2001). EM-type algorithms for missing morphometric data. In *Proceedings in Intl. Conf. on Recent Developments in Statistics and Probability and their Applications*, pages 66–68. IISA 2000-2001 India.
- Bookstein, F. L. and Sampson, P. D. (1990). Statistical models for geometric components of shape change. *Communications in Statistics –Theory and Methods*, 19:1939–1972.

- Borg, I. and Groenen, P. (1997). *Modern Multidimensional Scaling: Theory and Applications*. Springer, New York.
- Broadbent, S. (1980). Simulating the ley hunter. *Journal of the Royal Statistical Society, Series A*, 143:109–140.
- Burt, D. M. and Perrett, D. I. (1995). Perception of age in facial aging in adult caucasian male faces: computer graphic manipulation of shape and colour information. *Proceedings of the Royal Society of London, Series B*, 259:137–143.
- Carne, T. K. (1990). The geometry of shape spaces. *Proceedings of the London Mathematical Society*, 61:407–432.
- Cheverud, J. M., Lewis, J. L., Bachrach, W., and Lew, W. D. (1983). The measurement of form and variation in form: and application of three dimensional quantitative morphology by finite element methods. *American Journal of Physical Anthropology*, 62:151–165.
- Cheverud, J. M. and Richtsmeier, J. T. (1986). Finite element scaling applied to sexual dimorphism in rhesus macaque (*Macaca mulatta*) facial growth. *Systematic Zoology*, 35:381–399.
- Christaller, W. (1933). *Die Zentralen Orte in Suddeutschland*. Prentice Hall, New Jersey.
- Christensen, G., Rabbitt, R. D., and Miller, M. I. (1996). Deformable templates using large deformation kinematics. *IEEE Transactions on Image Processing*, 5:1435–1447.
- Cliff, N. (1966). Orthogonal rotation to congruence. *Psychometrika*, 31:33–42.
- Coombes, A. M., Moss, J. P., Linney, A. D., Richards, R., and James, D. R. (1991). A mathematical method for the comparison of three dimensional changes in the facial surface. *European Journal of Orthodontics*, 13:95–110.
- Cooper, W., Goodall, C. R., Suryawanshi, S., and Tan, H. (1995). Euclidean shape tensor analysis. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 179–180, Leeds.
- Cootes, T. F., Taylor, C. J., Cooper, D. H., and Graham, J. (1992). Training models of shape from sets of examples. In Hogg, D. C. and Boyle, R. D., editors, *British Machine Vision Conference*, pages 9–18, Berlin. Springer-Verlag.
- Cootes, T. F., Taylor, C. J., Cooper, D. H., and Graham, J. (1994). Image search using flexible shape models generated from sets of examples. In Mardia, K. V., editor, *Statistics and Images: Vol. 2*, pages 111–139. Carfax, Oxford.

- Cox, T. F. and Cox, M. A. A. (1994). *Multidimensional Scaling*. Chapman and Hall, London.
- Craw, I. and Cameron, P. (1992). Face recognition by computer. In Hogg, D. and Boyle, R. D., editors, *Proceedings of the British Machine Vision Conference*, pages 498–507, Berlin. Springer-Verlag.
- Cressie, N. A. C. (1993). *Statistics for Spatial Data*, Revised Edition. Wiley, New York.
- Curran, P. and Groves, D. (1990). An accurate, fast and cost effective method for the measurement of body shape and the assessment of spinal deformity. In *Proceedings of the Sixth International Symposium on Surface Topography and Spinal Deformity*, Estoril, Portugal.
- Darroch, J. N. and Mosimann, J. E. (1985). Canonical and principal components of shape. *Biometrika*, 72:241–252.
- Dickson, R. A., Lawton, J. O., Archer, I. A., and Butt, W. P. (1984). The pathogenesis of idiopathic scoliosis; biplanar spinal symmetry. *Journal of Bone Joint Surgery*, 66B:8–15.
- Dryden, I. L. (1989). *The statistical analysis of shape data*. PhD thesis, University of Leeds.
- Dryden, I. L. (1991). Discussion to ‘Procrustes methods in the statistical analysis of shape’ by C.R. Goodall. *Journal of the Royal Statistical Society, Series B*, 53:327–328.
- Dryden, I. L., Faghihi, M. R., and Taylor, C. C. (1995). Investigating regularity in spatial point patterns using shape analysis. In Mardia, K. V. and Gill, C. A., editors, *Proceedings in Current Issues in Statistical Shape Analysis*, pages 40–48, Leeds. University of Leeds Press.
- Dryden, I. L., Faghihi, M. R., and Taylor, C. C. (1997). Procrustes shape analysis of spatial point patterns. *Journal of the Royal Statistical Society, Series B*, 59:353–374.
- Dryden, I. L. and Mardia, K. V. (1991a). Distributional and theoretical aspects of shape analysis. In Heyer, H., editor, *Probability Measures on Groups X*, pages 95–116, New York. Plenum.
- Dryden, I. L. and Mardia, K. V. (1991b). General shape distributions in a plane. *Advances in Applied Probability*, 23:259–276.
- Dryden, I. L. and Mardia, K. V. (1992). Size and shape analysis of landmark data. *Biometrika*, 79:57–68.

- Dryden, I. L. and Mardia, K. V. (1993). Multivariate shape analysis. *Sankhyā Series A*, 55:460–480.
- Dryden, I. L. and Walker, G. (1997). Shape analysis using highly robust regression. In *Proceedings of the ISI 51st Session*, Vol. 2, pages 127–130, Istanbul, Turkey. ISI.
- Dryden, I. L. and Walker, G. (1998). Shape analysis using highly resistant regression. Technical Report STAT98/03, Department of Statistics, University of Leeds.
- Duchon, J. (1976). Interpolation des fonctions de deux variables suivant le principe de la flexion des plaques minces. *RAIRO Analyse Numérique*, 10:5–12.
- Everitt, B. S. and Rabe-Hesketh, S. (1997). *The Analysis of Proximity Data*. Kendall's Library of Statistics 4. Arnold, London.
- Faghihi, M. R. (1996). *Shape analysis of spatial point patterns*. PhD thesis, University of Leeds.
- Falconer, D. S. (1973). Replicated selection for body weight in mice. *Genetical Research Cambridge*, 22:291–321.
- Fawcett, C. D. and Lee, A. (1901-1902). A second study of the variation and correlation of the human skull, with special reference to the Naqada crania. *Biometrika*, 1:408–467.
- Fisher, N. I., Lewis, T., and Embleton, B. J. (1987). *Statistical Analysis of Spherical Data*. Cambridge University Press, Cambridge.
- Fréchet, M. (1948). Les éléments aléatoires de nature quelconque dans un espace distancié. *Annales de l'Institut Henri Poincaré*, 10:215–310.
- Fright, W. R. and Linney, A. D. (1993). Registration of 3-D head surfaces using multiple landmarks. *IEEE Transactions on Medical Imaging*, 12:515–520.
- Fritsch, D. S., Pizer, S. M., Chaney, E. L., Lui, A., Raghavan, S., and Shah, T. (1994). Cores for image registration. In *Proceedings of SPIE Medical Imaging '94*, volume 2167, pages 128–142.
- Galileo (1638). *Discorsi e dimostrazioni matematiche, informo a due nuoue scienze attenti alla meccanica i movimenti locali*. appresso gli Elsevirii; Opere VIII.
- Galton, F. (1878). Composite portraits. *Journal of the Anthropological Institute of Great Britain and Ireland*, 8:132–142.

ADDITIONAL TOPICS [NEED TO PRUNE SOME OF THESE AND ADD A FEW NEW ONES]377

Galton, F. (1883). *Enquiries into Human Faculty and Development*. Dent, London.

Galton, F. (1907). Classification of portraits. *Nature*, 76:617–618.

Gates, J. (1994). Shape distributions for planar triangles by dual construction. *Advances in Applied Probability*, 26:324–333.

Geman, S. and Geman, D. (1984). Stochastic relaxation, Gibbs distributions and the Bayesian restoration of images. *IEEE Transactions of Pattern Analysis and Machine Intelligence*, 6:721–741.

Gilks, W. R., Richardson, S., and Spiegelhalter, D. J., editors (1996). *Markov Chain Monte Carlo in Practice*, London. Chapman and Hall.

Glasbey, C. A. (1995). An overview of image warping algorithms, with applications. Technical report, BioSS.

Glasbey, C. A. and Horgan, G. W. (1995). *Image Analysis for the Biological Sciences*. Wiley, Chichester.

Glasbey, C. A., Horgan, G. W., Gibson, G. J., and Hitchcock, D. (1995). Fish shape analysis using landmarks. *Biometrical Journal*, 37:481–495.

Good, P. (1994). *Permutation Tests*. Springer-Verlag, New York.

Goodall, C. R. (1991). Procrustes methods in the statistical analysis of shape (with discussion). *Journal of the Royal Statistical Society, Series B*, 53:285–339.

Goodall, C. R. (1995). Procrustes methods in the statistical analysis of shape revisited. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 18–33, Leeds. University of Leeds Press.

Goodall, C. R. and Bose, A. (1987). Models and Procrustes methods for the analysis of shape differences. In Heiberger, R. M., editor, *Proceedings of the 19th INTERFACE Symposium*, pages 86–92, Fairfax Station. Interface Foundation.

Goodall, C. R. and Lange, N. (1989). Growth curve models for correlated triangular shapes. In Berk, K. and Malone, L., editors, *Proceedings of the 21st Symposium on the Interface between Computing Science and Statistics*, pages 445–454. Interface Foundation, Fairfax Station.

Goodall, C. R. and Mardia, K. V. (1991). A geometrical derivation of the shape density. *Advances in Applied Probability*, 23:496–514.

Goodall, C. R. and Mardia, K. V. (1992). The noncentral Bartlett decompositions and shape densities. *Journal of Multivariate Analysis*, 40:94–108.

- Goodall, C. R. and Mardia, K. V. (1993). Multivariate aspects of shape theory. *Annals of Statistics*, 21:848–866.
- Goodman, N. R. (1963). Statistical analysis based on a certain multivariate complex Gaussian distribution (an introduction). *Annals of Mathematical Statistics*, 34:152–177.
- Gordon, A. D. (1995). Local transformations of facial features. *Journal of Applied Statistics*, 22:179–184.
- Gower, J. C. (1971). Statistical methods of comparing different multivariate analyses of the same data. In Hodson, F. R., Kendall, D. G., and Tautu, P., editors, *Mathematics in the Archaeological and Historical Sciences*, pages 138–149, Edinburgh. Edinburgh University Press.
- Gower, J. C. (1975). Generalized Procrustes analysis. *Psychometrika*, 40:33–50.
- Green, B. F. (1952). The orthogonal approximation of an oblique structure in factor analysis. *Psychometrika*, 17:429–440.
- Green, P. J. (1995a). Reversible jump Markov chain Monte Carlo computation and Bayesian model determination. *Biometrika*, 82:711–732.
- Green, P. J. and Sibson, R. (1978). Computing Dirichlet tessellations in the plane. *Computer Journal*, 21:168–173.
- Green, P. J. and Silverman, B. W. (1994). *Nonparametric Regression and Generalized Linear Models: A Roughness Penalty Approach*. Chapman and Hall, London.
- Green, W. D. K. (1995b). A simple construction of triangle shape space. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 160–166, Leeds. University of Leeds Press.
- Green, W. D. K. (1996). The thin-plate spline and images with curving features. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Image Fusion and Shape Variability*, pages 79–87, Leeds. University of Leeds Press.
- Grenander, U. (1994). *General Pattern Theory*. Clarendon Press, Oxford.
- Grenander, U., Chow, Y., and Keenan, D. M. (1991). *Hands: A Pattern Theoretic Study of Biological Shapes*. Research notes in neural computing, Vol. 2. Springer-Verlag, New York.
- Grenander, U. and Keenan, D. M. (1993). Towards automated image understanding. In Mardia, K. V. and Kanji, G. K., editors, *Statistics and Images: Vol. 1*, pages 89–103. Carfax, Oxford.

- Grenander, U. and Manbeck, K. M. (1993). A stochastic shape and colour model for defect detection in potatoes. *Journal of Computational and Statistical Graphics*, 2:131–151.
- Grenander, U. and Miller, M. I. (1994). Representations of knowledge in complex systems (with discussion). *Journal of the Royal Statistical Society, Series B*, 56:549–603.
- Gruvaeus, G. T. (1970). A general approach to Procrustes pattern rotation. *Psychometrika*, 35:493–505.
- Harris, J. (1992). *Algebraic Geometry: A First Course*. Springer-Verlag, Berlin.
- Hastie, T. and Kishon, E. (1991). Discussion to Goodall (1991). *Journal of the Royal Statistical Society, Series B*, 53:330–331.
- Hastie, T. and Tibshirani, R. (1992). Handwritten digit recognition via deformable prototypes. Technical report, AT&T Bell Laboratories.
- Hastings, W. K. (1970). Monte Carlo sampling methods using Markov chains and their applications. *Biometrika*, 57:97–109.
- Hopkins, J. W. (1966). Some considerations in multivariate allometry. *Biometrics*, 22:747–760.
- Horgan, G. W., Creasey, A., and Fenton, B. (1992). Superimposing two-dimensional gels to study genetic variation in malaria parasites. *Electrophoresis*, 13:871–875.
- Horn, A. (1954). Doubly stochastic matrices and the diagonal of a rotation matrix. *American Journal of Mathematics*, 76:620–630.
- Huber, P. J. (1964). Robust estimation of a location parameter. *Annals of Mathematical Statistics*, 35:73–101.
- Hull, J. J. (1990). Character recognition: the reading of text by computer. In Shapiro, S. C., editor, *Encyclopaedia of Artificial Intelligence, Vols. 1,2*, pages 82–88. Wiley Interscience, New York.
- Hurley, J. R. and Cattell, R. B. (1962). The Procrustes program: producing direct rotation to test a hypothesised factor structure. *Behavioural Science*, 7:258–262.
- Hurn, M. A., Mardia, K. V., Hainsworth, T. J., Kirkbride, J., and Berry, E. (1996). Bayesian fused classification of medical images. *IEEE Transactions on Medical Imaging*, 15:850–858.
- Huxley, J. S. (1924). Constant differential growth ratios and their significance. *Nature*, 114:895–896.

- Huxley, J. S. (1932). *Problems of Relative Growth*. Methuen, London.
- Jackson, C. M. (1915). *Morris's Human Anatomy*. London, Churchill.
- James, A. T. (1964). Distributions of matrix variates and latent roots derived from normal samples. *Annals of Mathematical Statistics*, 35:475–501.
- Jardine, N. (1969). The observational and theoretical components of homology: a study based on the morphology of the derma-roofs of rhipidistan fishes. *Biological Journal of the Linnean Society*, 1:327–361.
- Johnson, D. R., O'Higgins, P., and McAndrew, T. J. (1988). The effect of replicated selection for body weight in mice on vertebral shape. *Genetical Research Cambridge*, 51:129–135.
- Johnson, D. R., O'Higgins, P., McAndrew, T. J., Adams, L. M., and Flinn, R. M. (1985). Measurement of biological shape: a general method applied to mouse vertebrae. *Journal of Embryology and Experimental Morphology*, 90:363–377.
- Johnson, V. E., Bowsher, J. E., Jaszczak, R. J., and Turking, T. G. (1995). Analysis and reconstruction of medical images using prior information. In Gastonis, C., Hodges, J. S., Kass, R. E., and Singpurwalla, N. D., editors, *Case Studies in Bayesian Statistics Vol. II*, pages 149–218, New York. Springer-Verlag.
- Jolicoeur, J. and Mosimann, J. E. (1960). Size and shape variation in the painted turtle. *Growth*, 24:339–354.
- Jones, M. C. (1987). On moments of ratios of quadratic forms in normal variables. *Statistics and Probability Letters*, 6:129–136, 369.
- Jupp, P. and Mardia, K. V. (1989). A unified view of the theory of directional statistics, 1975–1988. *International Statistical Review*, 57:261–294.
- Kass, M., Witkin, A., and Terzopoulos, D. (1988). Snakes: active contour models. *International Journal of Computer Vision*, 1:321–331.
- Kendall, D. G. (1977). The diffusion of shape. *Advances in Applied Probability*, 9:428–430.
- Kendall, D. G. (1983). The shape of Poisson-Delaunay triangles. In Demetrescu, M. C. and Iosifescu, M., editors, *Studies in Probability and Related Topics*, pages 321–330. Nagard, Montreal.
- Kendall, D. G. (1984). Shape manifolds, Procrustean metrics and complex projective spaces. *Bulletin of the London Mathematical Society*, 16:81–121.
- Kendall, D. G. (1985). Exact distributions for shapes of random triangles in convex sets. *Advances in Applied Probability*, 17:308–329.

- Kendall, D. G. (1989). A survey of the statistical theory of shape. *Statistical Science*, 4:87–120.
- Kendall, D. G. (1991a). Discussion to ‘Procrustes methods in the statistical analysis of shape’ by C.R. Goodall. *Journal of the Royal Statistical Society, Series B*, 53:321–324.
- Kendall, D. G. (1991b). The Mardia-Dryden distribution for triangles - a stochastic calculus approach. *Journal of Applied Probability*, 28:225–230.
- Kendall, D. G. (1995). Looking at geodesics in the shape space for 4 points in 3 dimensions. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 6–8, Leeds. University of Leeds Press.
- Kendall, D. G. and Kendall, W. S. (1980). Alignments in two dimensional random sets of points. *Advances in Applied Probability*, 12:380–424.
- Kendall, D. G. and Le, H.-L. (1987). The structure and explicit determination of convex-polygonally generated shape densities. *Advances in Applied Probability*, 19:896–916.
- Kendall, W. S. (1988). Symbolic computation and the diffusion of triads. *Advances in Applied Probability*, 20:775–797.
- Kendall, W. S. (1990). The diffusion of Euclidean shape. In Grimmett, G. R. and Welch, D. J. A., editors, *Disorder in Physical Systems*, pages 203–217, Oxford. Oxford University Press.
- Kendall, W. S. (1996). A diffusion model for Bookstein triangle shape. Technical Report 296, Department of Statistics, University of Warwick.
- Kent, J. T. (1991). Discussion to ‘Procrustes methods in the statistical analysis of shape’ by C.R. Goodall. *Journal of the Royal Statistical Society, Series B*, 53:324–325.
- Kent, J. T. (1992). New directions in shape analysis. In Mardia, K. V., editor, *The Art of Statistical Science*, pages 115–127. Wiley, Chichester.
- Kent, J. T. (1994). The complex Bingham distribution and shape analysis. *Journal of the Royal Statistical Society, Series B*, 56:285–299.
- Kent, J. T. (1995). Current issues for statistical inference in shape analysis. In Mardia, K. V. and Gill, C. A., editors, *Proceedings in Current Issues in Statistical Shape Analysis*, pages 167–175, Leeds. University of Leeds Press.
- Kent, J. T. (1997). Data analysis for shapes and images. *Journal of Statistical Inference and Planning*, 57:181–193.

- Kent, J. T., Anderson, C. R., and Dryden, I. L. (1995). Deformations with circulant symmetry. Technical Report STAT95/17, University of Leeds.
- Kent, J. T., Lee, D., Mardia, K. V., and Linney, A. D. (1996a). Using curvature information in shape analysis. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Image Fusion and Shape Variability*, pages 88–99, Leeds. University of Leeds Press.
- Kent, J. T. and Mardia, K. V. (1994a). The link between kriging and thin-plate splines. In Kelly, F. P., editor, *Probability, Statistics and Optimization: a Tribute to Peter Whittle*, pages 325–339. Wiley, Chichester.
- Kent, J. T. and Mardia, K. V. (1994b). Statistical shape methodology. In Ying-Lie, O., Toet, A., Foster, D., Heijmans, H. J. A. M., and Meer, P., editors, *NATO Conference on Shape in Pictures*, pages 443–452, Berlin. Springer-Verlag.
- Kent, J. T. and Mardia, K. V. (1997). Consistency of Procrustes estimators. *Journal of the Royal Statistical Society, Series B*, 59:281–290.
- Kent, J. T., Mardia, K. V., and Walder, A. N. (1996b). Conditional cyclic Markov random fields. *Advances in Applied Probability (SGSA)*, 28:1–12.
- Kimeldorf, G. and Wahba, G. (1971). Some results on Tchebycheffian spline functions. *Journal of Mathematical Analysis and Applications*, 33:82–95.
- Koenderink, J. J. (1990). *Solid Shape*. MIT Press, Cambridge.
- Kotz, S. and Johnson, N. L., editors (1988). *Encyclopedia of Statistical Sciences*, volume 8, New York. Wiley.
- Kristof, W. and Wingersky, B. (1971). Generalization of the orthogonal Procrustes rotation procedure to more than two matrices. In *Proceedings of the 79th Annual Convention of the American Psychological Association*, pages 89–90.
- Krzanowski, W. J. and Marriott, F. H. C. (1994). *Multivariate Analysis, Part 1: Distributions, Ordination and Inference*. Kendall's Library of Statistics. Arnold, London.
- Kshirsagar, A. M. (1963). Effect of non-centrality on Bartlett decompositions of a Wishart matrix. *Annals of the Institute of Statistical Mathematics*, 14:217–228.
- Langron, S. P. and Collins, A. J. (1985). Perturbation theory for generalized Procrustes analysis. *Journal of the Royal Statistical Society, Series B*, 47:277–284.

- Le, H.-L. (1987). Explicit formulae for polygonally generated shape densities in the basic tile. *Mathematical Proceedings of the Cambridge Philosophical Society*, 101:313–332.
- Le, H.-L. (1988). *Shape theory in flat and curved spaces, and shape densities with uniform generators*. PhD thesis, University of Cambridge.
- Le, H.-L. (1989a). Random spherical triangles I: geometrical background. *Advances in Applied Probability*, 21:570–580.
- Le, H.-L. (1989b). Random spherical triangles II: shape densities. *Advances in Applied Probability*, 21:581–594.
- Le, H.-L. (1991a). On geodesics in Euclidean shape spaces. *Journal of the London Mathematical Society*, 44:360–372.
- Le, H.-L. (1991b). A stochastic calculus approach to the shape distribution induced by a complex normal model. *Mathematical Proceedings of the Cambridge Philosophical Society*, 109:221–228.
- Le, H.-L. (1992). The shapes of non-generic figures, and applications to collinearity testing. *Proceedings of the Royal Society of London, Series A*, 439:197–210.
- Le, H.-L. (1994). Brownian motions on shape and size-and-shape spaces. *Journal of Applied Probability*, 31:101–113.
- Le, H.-L. (1995). Mean size-and-shapes and mean shapes: a geometric point of view. *Advances in Applied Probability*, 27:44–55.
- Le, H.-L. and Kendall, D. G. (1993). The Riemannian structure of Euclidean shape spaces: a novel environment for statistics. *Annals of Statistics*, 21:1225–1271.
- Lele, S. (1991). Some comments on a coordinate free and scale invariant method in morphometrics. *American Journal of Physical Anthropology*, 85:407–418.
- Lele, S. (1993). Euclidean distance matrix analysis (EDMA): estimation of mean form and mean form difference. *Mathematical Geology*, 25:573–602.
- Lele, S. and Cole, T. M. (1995). Euclidean distance matrix analysis: a statistical review. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 49–53, Leeds. University of Leeds Press.
- Lele, S. and Richtsmeier, J. T. (1991). Euclidean distance matrix analysis: a coordinate-free approach for comparing biological shapes using landmark data. *American Journal of Physical Anthropology*, 86:415–427.

- Lew, W. D. and Lewis, J. L. (1977). An anthropometric scaling method with application to the knee joint. *Journal of Biomechanics*, 10:171–184.
- Lohmann, G. P. (1983). Eigenshape analysis of microfossils: a general morphometric procedure for describing changes in shape. *Mathematical Geology*, 15:659–672.
- Mannion, D. (1988). A Markov chain of triangle shapes. *Advances in Applied Probability*, 20:348–370.
- Mannion, D. (1990a). Convergence to collinearity of a sequence of random triangle shapes. *Advances in Applied Probability*, 22:831–844.
- Mannion, D. (1990b). The invariant distribution of a sequence of random collinear triangle shapes. *Advances in Applied Probability*, 22:845–865.
- Mardia, K. V. (1972). *Statistics of Directional Data*. Academic Press, London.
- Mardia, K. V. (1975). Statistics of directional data (with discussion). *Journal of the Royal Statistical Society, Series B*, 37:349–393.
- Mardia, K. V. (1977). Mahalanobis distance and angles. In Krishnaiah, P. R., editor, *Multivariate Analysis IV*, pages 495–511, Amsterdam. North-Holland.
- Mardia, K. V. (1980). Discussion to ‘Simulating the ley hunter’ by S. R. Broadbent. *Journal of the Royal Statistical Society, Series A*, 143:147.
- Mardia, K. V. (1984). Spatial discrimination and classification maps. *Communications in Statistics – Theory and Methods*, 13:2181–2197.
- Mardia, K. V. (1989a). Discussion to ‘A survey of the statistical theory of shape’ by D. G. Kendall. *Statistical Science*, 4:108–111.
- Mardia, K. V. (1989b). Markov models and Bayesian methods in image analysis. *Journal of Applied Statistics*, 16:125–130.
- Mardia, K. V. (1989c). Shape analysis of triangles through directional techniques. *Journal of the Royal Statistical Society, Series B*, 51:449–458.
- Mardia, K. V. (1991). New advances in shape analysis with applications to image processing. Lectures under the late Professor M.C. Chakrabarti memorial lectureship endowment, University of Bombay. Technical report, University of Leeds.
- Mardia, K. V. (1993). Discussion to papers on ‘Gibbs sampler and other MCMC methods’. *Journal of the Royal Statistical Society, Series B*, 55:83–84.
- Mardia, K. V., editor (1994). *Statistics and Images: Vol. 2*, Oxford. Carfax.

- Mardia, K. V. (1995). Shape advances and future perspectives. In Mardia, K. V. and Gill, C. A., editors, *Proceedings in Current Issues in Statistical Shape Analysis*, pages 57–75, Leeds. University of Leeds Press.
- Mardia, K. V. (1996a). The art and science of Bayesian object recognition. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Proceedings in Image Fusion and Shape Variability Techniques*, pages 21–35, Leeds. University of Leeds, University of Leeds Press.
- Mardia, K. V. (1996b). Shape analysis. Technical report, Department of Statistics, University of Leeds.
- Mardia, K. V. (1997). Bayesian image analysis. *Journal of Theoretical Medicine*, 1:63–77.
- Mardia, K. V., Baczkowski, A. J., Feng, X., and Millner, P. A. (1996a). A study of three dimensional curves. *Journal of Applied Statistics*, 23:139–148.
- Mardia, K. V., Coombes, A., Kirkbride, J., Linney, A., and Bowie, J. L. (1996b). On statistical problems with face identification from photographs. *Journal of Applied Statistics*, 23:655–675.
- Mardia, K. V. and Dryden, I. L. (1989a). Shape distributions for landmark data. *Advances in Applied Probability*, 21:742–755.
- Mardia, K. V. and Dryden, I. L. (1989b). The statistical analysis of shape data. *Biometrika*, 76:271–282.
- Mardia, K. V. and Dryden, I. L. (1994). Shape averages and their bias. *Advances in Applied Probability*, 26:334–340.
- Mardia, K. V. and Dryden, I. L. (1997). Bookstein’s shape coordinates for three dimensions. Technical Report STAT97/03, Department of Statistics, University of Leeds.
- Mardia, K. V. and Dryden, I. L. (1998). The complex Watson distribution and shape analysis. Technical report, Department of Statistics, University of Leeds.
- Mardia, K. V., Dryden, I. L., Hurn, M. A., Li, Q., Millner, P. A., and Dickson, R. A. (1994). Familial spinal shape. *Journal of Applied Statistics*, 21:623–641.
- Mardia, K. V., Edwards, R., and Puri, M. L. (1977). Analysis of Central Place Theory. *Bulletin of the International Statistical Institute*, 47:93–110.
- Mardia, K. V., Ghali, N. M., Hainsworth, T. J., Howes, M., and Sheehy, N. (1993). Techniques for online gesture recognition on workstations. *Image and Vision Computing*, 11:283–294.

- Mardia, K. V., Gill, C. A., and Dryden, I. L., editors (1996c). *Image Fusion and Shape Variability*, Leeds. University of Leeds Press.
- Mardia, K. V. and Goodall, C. R. (1993). Spatial-temporal analysis of multivariate environmental monitoring data. In Patil, G. P. and Rao, C. R., editors, *Multivariate Environmental Statistics*, Amsterdam. North Holland.
- Mardia, K. V., Goodall, C. R., and Walder, A. N. (1996d). Distributions of projective invariants and model-based vision. *Advances in Applied Probability*, 28:641–661.
- Mardia, K. V. and Hainsworth, T. J. (1993). Image warping and Bayesian reconstruction with grey-level templates. In Mardia, K. V. and Kanji, G. K., editors, *Statistics and Images: Vol. 1*, pages 257–280. Carfax, Oxford.
- Mardia, K. V., Hainsworth, T. J., and Haddon, J. F. (1992). Deformable templates in image sequences. In *Proceedings of the IAPR Conference, The Hague*, pages 132–135. IEEE.
- Mardia, K. V. and Kanji, G. K., editors (1993). *Statistics and Images: Vol. 1*, Oxford. Carfax.
- Mardia, K. V., Kent, J. T., and Bibby, J. M. (1979). *Multivariate Analysis*. Academic Press, London.
- Mardia, K. V., Kent, J. T., Goodall, C. R., and Little, J. L. (1996e). Kriging and splines with derivative informations. *Biometrika*, 83:207–221.
- Mardia, K. V., Kent, J. T., and Walder, A. N. (1991). Statistical shape models in image analysis. In Keramidas, E. M., editor, *Computer Science and Statistics: Proceedings of the 23rd INTERFACE symposium*, pages 550–557. Interface Foundation, Fairfax Station.
- Mardia, K. V., Kent, J. T., Wiffen, L. N., and Shah, D. (1996f). Hierarchical Bayesian models for biological objects. Technical Report STAT 96/11, Department of Statistics, University of Leeds.
- Mardia, K. V. and Little, J. L. (1994). Image warping using derivative information. In Bookstein, F. L., Duncan, J. S., Lange, N., and Wilson, D. C., editors, *Mathematical Methods in Medical Imaging III, Proceedings*, Vol. 2299, pages 16–31, Washington. SPIE.
- Mardia, K. V. and Marshall, R. J. (1984). Maximum likelihood estimation of models for residual covariance in spatial regression. *Biometrika*, 71:135–146.

- Mardia, K. V., McCulloch, C., Dryden, I. L., and Johnson, V. (1997). Automatic scale-space method of landmark detection. In Mardia, K. V., Gill, C. A., and Aykroyd, R. G., editors, *Proceedings of the Leeds Annual Statistics Research Workshop*, pages 17–29, Leeds. University of Leeds Press.
- Mardia, K. V. and Qian, W. (1995). Bayesian method for compact object recognition from noisy images. In Titterton, D. M., editor, *Complex Stochastic Systems in Science and Engineering*, pages 155–165, Oxford. Clarendon Press.
- Mardia, K. V., Qian, W., Shah, D., and De Souza, K. (1996g). Deformable template recognition of multiple occluded objects. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19:1036–1042.
- Mardia, K. V., Rabe, S., and Kent, J. T. (1995). Statistics, shape and images. In *IMA Proceedings on Complex Stochastic Systems and Engineering Applications*, pages 85–103, Oxford. Clarendon Press.
- Mardia, K. V. and Walder, A. N. (1994a). Shape analysis of paired landmark data. *Biometrika*, 81:185–196.
- Mardia, K. V. and Walder, A. N. (1994b). Size-and-shape distributions for paired landmark data. *Advances in Applied Probability*, 26:893–905.
- Matheron, G. (1973). The intrinsic random functions and their applications. *Advances in Applied Probability*, 5:439–468.
- Matheron, G. (1981). Splines and kriging: their formal equivalence. In Merriam, D. F., editor, *Down-to-earth Statistics: Solutions Looking for Geological Problems*, pages 77–95, Syracuse. Syracuse University Geology Contributions.
- Medawar, P. B. (1944). The shape of a human being as a function of time. *Proceedings of the Royal Society of London, Series B*, 132:133–141.
- Meinguet, J. (1979). Multivariate interpolation at arbitrary points made simple. *Zeitschrift Angewandte Mathematik und Physik*, 30:292–304.
- Metropolis, N., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H., and Teller, E. (1953). Equations of state calculations by fast computing machines. *Journal of Chemical Physics*, 21:1087–1092.
- Miles, R. E. (1970). On the homogeneous planar Poisson point process. *Mathematical Biosciences*, 6:85–127.
- Miller, K. S. (1964). *Multidimensional Gaussian Distributions*. Wiley, New York.

- Miller, M. I., Joshi, S., Maffit, D. R., McNally, J. G., and Grenander, U. (1994). Membranes, mitochondria and amoebae: shape models. In Mardia, K. V., editor, *Statistics and Images: Vol. 2*, pages 141–163, Oxford. Carfax.
- Mosier, C. I. (1939). Determining a simple structure when loadings for certain tests are known. *Psychometrika*, 4:149–162.
- Mosimann, J. E. (1970). Size allometry: Size and shape variables with characterizations of the lognormal and generalized gamma distributions. *Journal of the American Statistical Association*, 65:930–948.
- Mosimann, J. E. (1975a). Statistical problems of size and shape. I Biological applications and basic theorems. In et al, G. P. P., editor, *Statistical Distributions in Scientific Work*, Vol. 2, pages 187–217, Dordrecht-Holland. D. Reidel.
- Mosimann, J. E. (1975b). Statistical problems of size and shape. II. Characterizations of the lognormal, gamma and Dirichlet distributions. In et al, G. P. P., editor, *Statistical Distributions in Scientific Work*, Vol. 2, pages 219–239, Dordrecht-Holland. D. Reidel.
- Mosimann, J. E. (1988). Size and shape analysis. In Kotz, S. and Johnson, N. L., editors, *Encyclopedia of Statistical Sciences*, Vol. 8, pages 497–507, New York. Wiley.
- Moss, M. L., Vilman, H., Moss-Salentijn, L., Sen, K., Pucciarelli, H. M., and Skalak, R. (1987). Studies on orthocephalization: Growth behaviour of the rat skull in the period 13-19 days as described by the finite element method. *American Journal of Physical Anthropology*, 72:323–342.
- Mumford, D. (1991). Mathematical theories of shape: do they model perception? In *Geometric Methods in Computer Vision*, pages 2–10, Washington. SPIE Proceedings, Vol. 1570.
- Nagy, G. (1992). The dimensions of shape and form. In Arcelli, C., Cordella, L. P., and Sanniti di Baja, G., editors, *Visual Form: Analysis and Recognition*, pages 409–419, New York. Plenum.
- O’Higgins, P. (1989). *A morphometric study of cranial shape in the Hominoidea*. PhD thesis, University of Leeds.
- O’Higgins, P. and Dryden, I. L. (1992). Studies of craniofacial development and evolution. *Archaeology and Physical Anthropology in Oceania*, 27:105–112.
- O’Higgins, P. and Dryden, I. L. (1993). Sexual dimorphism in hominoids: further studies of craniofacial shape differences in *pan*, *gorilla*, *pongo*. *Journal of Human Evolution*, 24:183–205.

- Okabe, A., Boots, B., and Sugihara, K. (1992). *Spatial Tessellations*. Wiley, Chichester.
- Pearson, K. (1926). On the coefficient of racial likeness. *Biometrika*, 18:105–117.
- Pennec, X. (1996). Multiple registration and mean rigid shapes: application to the 3D case. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Proceedings in Image Fusion and Shape Variability Techniques*, pages 178–185, Leeds. University of Leeds, University of Leeds Press.
- Pennec, X. and Ayache, N. (1996). Randomness and geometric features in computer vision. Technical Report 2820, INRIA.
- Phillips, D. B. and Smith, A. F. M. (1993). Dynamic image analysis using Bayesian shape and texture models. In Mardia, K. V. and Kanji, G. K., editors, *Statistics and Images: Vol. 1*, pages 299–322. Carfax, Oxford.
- Phillips, D. B. and Smith, A. F. M. (1994). Bayesian faces via hierarchical template modeling. *Journal of the American Statistical Association*, 89:1151–1163.
- Powell, M. J. D. (1987). Radial basis functions for multivariate interpolation: a review. In Mason, J. C. and Cox, M. G., editors, *Algorithms for Approximations*, pages 143–167, Oxford. Clarendon Press.
- Prentice, M. J. and Mardia, K. V. (1995). Shape changes in the plane for landmark data. *Ann. Statist.*, 23(6):1960–1974.
- Pukkila, T. M. and Rao, C. R. (1988). Pattern recognition based on scale invariant discriminant functions. *Information Sciences*, 45:379–389.
- Rainville, E. D. (1960). *Special Functions*. Macmillan, New York.
- Rao, C. R. (1948). Tests of significance in multivariate analysis. *Biometrika*, 35:58–79.
- Rao, C. R. (1973). *Linear Statistical Inference and Its Applications*, 2nd edition. John Wiley, New York.
- Rao, C. R. and Suryawanshi, S. (1996). Statistical analysis of shape of objects based on landmark data. *Proceedings of the National Academy of Science USA*, 93:12132–12136.
- Renaud, S. (1995). Shape analysis of outlines through Fourier methods using curvature measures. In Mardia, K. V. and Gill, C. A., editors, *Current Issues in Statistical Shape Analysis*, pages 181–182, Leeds. University of Leeds Press.

- Reyment, R. A., Blackith, R. E., and Campbell, N. A. (1984). *Multivariate Morphometrics*, 2nd. Edition. Academic Press, New York.
- Rice, J. A. and Silverman, B. W. (1991). Estimating the mean and covariance structure non-parametrically when the data are curves. *Journal of the Royal Statistical Society, Series B*, 53:233–243.
- Richstmeier, J. T. (1986). Finite element scaling analysis of human craniofacial growth. *Journal of Craniofacial Genetics and Developmental Biology*, 6:289–323.
- Richstmeier, J. T. (1989). Application of finite element scaling in primatology. *Folia Primatologica*, 53:50–64.
- Ripley, B. D. (1988). *Statistical Inference for Spatial Processes*. Cambridge University Press, Cambridge.
- Ripley, B. D. and Sutherland, A. I. (1990). Finding spiral structures in galaxies. *Philosophical Transactions of the Royal Society of London, Series A*, 332:477–485.
- Rohlf, F. J. (1990). Fitting curves to outlines. In *Proceedings of the Michigan Morphometrics Workshop*, Special publication No. 2, pages 167–177. University of Michigan Museum of Zoology, Ann Arbor.
- Rohlf, F. J. and Archie, J. (1984). A comparison of Fourier methods for the description of wing shape in mosquitoes. *Systematic Zoology*, 33:302–317.
- Rohlf, F. J. and Slice, D. (1990). Methods for comparison of sets of landmarks. *Systematic Zoology*, 39:40–59.
- Rousseeuw, P. J. (1984). Least median of squares regression. *Journal of the American Statistical Association*, 79:871–880.
- Rousseeuw, P. J. and Leroy, A. M. (1987). *Robust Regression and Outlier Detection*. Wiley, New York.
- Rousseeuw, P. J. and Yohai, V. J. (1984). Robust regression by means of S-estimators. In Franke, J., Härdle, W., and Martin, R. D., editors, *Robust and Non-linear Time Series Analysis*, pages 256–272, New York. Springer-Verlag.
- Rubin, D. B. (1976). Inference and missing data. *Biometrika*, 63:581–592.
- Sampson, P. D., Lewis, S., Guttorp, P., Bookstein, F. L., and Hurley, C. B. (1991). Computation and interpretation of deformations for landmark data in morphometrics and environmetrics. In Keramidis, E. M., editor, *Proceedings of the INTERFACE '91 symposium*, pages 534–541, Fairfax Station. Interface Foundation.

- Schönemann, P. H. (1966). A generalized solution to the orthogonal Procrustes problem. *Psychometrika*, 31:1–10.
- Schönemann, P. H. (1968). On two sided orthogonal Procrustes problems. *Psychometrika*, 33:19–33.
- Schönemann, P. H. and Carroll, R. M. (1970). Fitting one matrix to another under choice of central dilation and rigid motion. *Psychometrika*, 35:245–255.
- Serra, J. (1982). *Image Analysis and Mathematical Morphology*. Academic Press, London.
- Shelupsky, D. (1962). An introduction to spherical coordinates. *American Mathematical Monthly*, 69:644–646.
- Sibson, R. (1978). Studies in the robustness of multidimensional scaling: Procrustes statistics. *Journal of the Royal Statistical Society, Series B*, 40:234–238.
- Sibson, R. (1979). Studies in the robustness of multidimensional scaling: perturbation analysis of classical scaling. *Journal of the Royal Statistical Society, Series B*, 41:217–229.
- Siegel, A. F. and Benson, R. H. (1982). A robust comparison of biological shapes. *Biometrics*, 38:341–350.
- Simard, P., Le Cun, Y., and Denker, J. (1993). Efficient pattern recognition using a new transformation distance. In Hanson, S., Cowan, J., and Giles, C., editors, *Advances in Neural Information Processing Systems*, Vol. 5, San Mateo. Morgan Kaufmann.
- Slice, D. E., Bookstein, F. L., Marcus, L. F., and Rohlf, F. J. (1996). A glossary for geometric morphometrics. In Marcus, L. F., Corti, A., Loy, A., Naylor, G. J. P., and Slice, D., editors, *Advances in Morphometrics*, pages 531–551, New York. NATO ASI Series A, Vol. 284, Plenum.
- Small, C. G. (1982). Random uniform triangles and the alignment problem. *Mathematical Proceedings of the Cambridge Philosophical Society*, 91:315–322.
- Small, C. G. (1988). Techniques of shape analysis on sets of points. *International Statistical Review*, 56:243–257.
- Small, C. G. (1996). *The Statistical Theory of Shape*. Springer, New York.
- Small, C. G. and Lewis, M. E. (1995). Shape metrics and Frobenius norms. In Mardia, K. V. and Gill, C. A., editors, *Proceedings in Current Issues in Statistical Shape Analysis*, pages 88–95, Leeds. University of Leeds Press.

- Smith, A. F. M. and Roberts, G. O. (1993). Bayesian computation via the Gibbs sampler and related Markov chain Monte Carlo methods (with discussion). *Jour. Roy. Statist. Soc. Series B*, 55:3–24.
- Sneath, P. H. A. (1967). Trend surface analysis of transformation grids. *Journal of Zoology, London*, 151:65–122.
- Sparr, G. (1992). Depth computations from polyhedral images. In Sandini, G., editor, *Computer Vision - ECCV '92, Lecture Notes in Computer Science*, Vol. 588, pages 378–386, Berlin. Springer-Verlag.
- Sprenst, P. (1972). The mathematics of size and shape. *Biometrics*, 28:23–37.
- Stigler, S. M. (1984). Can you identify these mathematicians? *Mathematical Intelligencer*, 6:72.
- Stone, G. (1988). *Bivariate splines*. PhD thesis, University of Bath.
- Stoyan, D. (1990). Estimation of distances and variances in Bookstein's landmark model. *Biometrical Journal*, 32:843–849.
- Stoyan, D. and Frenzy, M. (1993). Estimating mean landmark triangles. *Biometrical Journal*, 35:643–647.
- Stoyan, D., Kendall, W. S., and Mecke, J. (1995). *Stochastic Geometry and its Applications*, 2nd. Edition. Wiley, Chichester.
- Stoyan, D. and Molchanov, I. S. (1995). Set-valued means of random particles. Technical Report BS-R9511, CWI, Amsterdam.
- Stoyan, D. and Stoyan, H. (1994). *Fractals, Random Shapes and Point Fields: Methods of Geometric Statistics*. Wiley, Chichester.
- Stuart, A. and Ord, K. (1994). *Kendall's Advanced Theory of Statistics, Vol. 1: Distribution Theory*. Arnold, London.
- Subsol, G., Thirion, J.-P., and Ayache, N. (1996). A general scheme for automatically building 3D morphometric anatomical atlases: application to a skull and brain atlas. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Image Fusion and Shape Variability*, pages 115–122, Leeds. University of Leeds Press.
- Taylor, C. C., Faghihi, M. R., and Dryden, I. L. (1995). An understanding of muscle fibre images. In Braccini, C., DeFloriani, L., and Vernazza, G., editors, *Image Analysis and Processing, ICIAP95 conference proceedings, Lecture Notes in Computer Science 974*, pages 223–228, Berlin. Springer-Verlag.

- Taylor, S. (1996). Euclidean distance matrix analysis and MBU-20/P oxygen mask fit. In Mardia, K. V., Gill, C. A., and Dryden, I. L., editors, *Proceedings in Image Fusion and Shape Variability Techniques*, pages 220–221, Leeds. University of Leeds Press.
- Ten Berge, J. M. F. (1977). Orthogonal Procrustes rotation for two or more matrices. *Psychometrika*, 42:267–276.
- Thompson, D. W. (1917). *On Growth and Form*. Cambridge University Press, Cambridge.
- Thompson, S. and Rosenfeld, A. (1994). Discrete stochastic growth for two-dimensional shapes. In Ying-Lie, O., Toet, A., Foster, D., Heijmans, H. J. A. M., and Meer, P., editors, *NATO Conference on Shape in Pictures*, pages 443–452, Berlin. Springer-Verlag.
- Trevor, J. C. T. (1950). *Anthropometry*, pages 458–462. Chambers Encyclopedia.
- Truslove, G. M. (1976). The effect of selection for body weight on the skeletal variation of the mouse. *Genetical Research Cambridge*, 28:1–10.
- Tversky, A. (1977). Features of similarity. *Psychological Review*, 84:327–352.
- van Lieshout, M. N. M. (1993). Stochastic annealing for nearest-neighbour point processes with application to object recognition. Technical Report BS-R9306, CWI, Amsterdam.
- van Lieshout, M. N. M. (1995). *Stochastic geometry models in image analysis and spatial statistics*. CWI Tract 108, Amsterdam.
- Verboon, P. and Heiser, W. J. (1992). Resistant orthogonal Procrustes analysis. *Journal of Classification*, 9:237–256.
- Wahba, G. (1990). *Spline Models for Observational Data*. SIAM, Philadelphia.
- Watson, G. N. (1944). *Theory of Bessel Functions*, 2nd. Edition. Cambridge University Press, Cambridge.
- Watson, G. S. (1965). Equatorial distributions on a sphere. *Biometrika*, 52:193–201.
- Watson, G. S. (1983). *Statistics on spheres. University of Arkansas Lecture Notes in the Mathematical Sciences*, Vol. 6. Wiley, New York.
- Watson, G. S. (1986). The shape of a random sequence of triangles. *Advances in Applied Probability*, 18:156–169.
- Wilson, A. (1995). *Statistical Models for Shape Deformations*. PhD thesis, Duke University, Durham.

- Winkler, G. (1995). *Image Analysis, Random Fields and Dynamic Monte Carlo Methods*. Springer-Verlag, Berlin.
- Witkin, A. (1983). Scale-space filtering. In Bundy, A., editor, *Proceedings of the Eighth International Joint Conference on Artificial Intelligence, Karlsruhe, Germany*, pages 1019–1022, Los Altos. Kaufman.
- Ying-Lie, O., Toet, A., Foster, D., Heijmans, H. J. A. M., and Meer, P., editors (1994). *Proceedings of the NATO Conference on Shape in Pictures*, Berlin. Springer-Verlag.
- Yuille, A. L. (1991). Deformable templates for face recognition. *Journal of Cognitive Neuroscience*, 3:59–70.
- Zahn, C. T. and Roskies, R. Z. (1972). Fourier descriptors for plane closed curves. *IEEE Transactions on Computing*, C21:269–281.
- Zienkiewicz, O. C. (1971). *The Finite Element Method in Engineering Science*. McGraw-Hill, London.
- Ziezold, H. (1977). On expected figures and a strong law of large numbers for random elements in quasi-metric spaces. In *Transactions of the Seventh Prague Conference on Information Theory, Statistical Decision Functions, Random Processes and of the 1974 European Meeting of Statisticians*, Volume A, pages 591–602, Prague. Academia: Czechoslovak Academy of Sciences.
- Ziezold, H. (1989). On expected figures in the plane. In Hübler, A., Nagel, W., Ripley, B. D., and Werner, G., editors, *Proceedings of GEOBILD 89*, pages 105–110, Berlin. Akademie-Verlag.
- Ziezold, H. (1994). Mean figures and mean shapes applied to biological figure and shape distributions in the plane. *Biometrical Journal*, 36:491–510.
- Zusne, L. (1970). *Visual Perception of Forms*. Academic Press, New York.