Section 4.7.3 Chi-square distribution

Tuesday, October 25, 2016 12:19 PM



CHAPTER 4

STAT/MATH 511, J. TEBBS

4.7.3 χ^2 distribution

TERMINOLOGY: Let ν be a positive integer. In the gamma(α, β) family, when

$$\begin{pmatrix} \alpha \\ \beta \end{pmatrix} = \frac{\nu}{2},$$

we call the resulting distribution a χ^2 distribution with ν degrees of freedom. We write $Y \sim \chi^2(\nu)$.

NOTE: At this point, it suffices to accept the fact that the χ^2 distribution is simply a "special" gamma distribution. However, it should be noted that the χ^2 distribution is used extensively in applied statistics. In fact, many statistical procedures used in practice are valid because of this model.

 $\chi^2 PDF$: If $Y \sim \chi^2(\nu)$, then the pdf of Y is

$$f_Y(y) = \begin{cases} \frac{1}{\Gamma(\frac{\nu}{2})2^{\nu/2}} y^{(\nu/2)-1} e^{-y/2}, & y > 0\\ 0, & \text{otherwise.} \end{cases}$$

 χ^2 MGF: Suppose that $Y \sim \chi^2(\nu)$. The mgf of Y is

The mgf of
$$Y$$
 is
$$m_Y(t) = \left(\frac{1}{1-2t}\right)^{\nu/2}, \quad \text{for } t < \frac{1}{2}$$

$$\chi \sim \chi^2(\nu), \text{ then}$$

for t < 1/2.

MEAN AND VARIANCE: If $Y \sim \chi^2(\nu)$, then

$$E(Y) = \nu$$
 and $V(Y) = 2\nu$.

TABLED VALUES FOR CDF: Because the χ^2 distribution is so pervasive in applied statistics, tables of probabilities are common. Appendix III, Table 6 (WMS, pp 850-851) TABLED VALUES FOR CDF: Because the χ^2 distribution is so pervasive in applied statistics, tables of probabilities are common. Appendix III, Table 6 (WMS, pp 850-851) provides the upper α quantiles χ^2_{α} which satisfy



for different values of α and degrees of freedom ν .

PAGE 90



tables

850 Appendix 3 Tables

V=10 X°0.7 = 4.86518

Table 6 Percentage Points of the χ^2 Distributions

					1 4
		/	α		d=. ¶
_	J	0 T	χ^2_{α}	— J	
√ df	$\chi^{2}_{0.995}$	$\chi^2_{0.990}$	$\chi^{2}_{0.975}$	$\chi^2_{0.950}$	$\chi^{2}_{0.900}$
1	0.0000393	0.0001571	0.0009821	0.0039321	0.0157908
2	0.0100251	0.0201007	0.0506356	0.102587	0.210720
3	0.0717212	0.114832	0.215795	0.351846	0.584375
4	0.206990	0.297110	0.484419	0.710721	1.063623
5	0.411740	0.554300	0.831211	1.145476	1.61031
6	0.675727	0.872085	1.237347	1.63539	2.20413
7	0.989265	1.239043	1.68987	2.16735	2.83311
8	1.344419	1.646482	2.17973	2.73264	3.48954
9	1.734926	2.087912	2.70039	3.32511	4.16816
1 0	2.15585	2.55821	3.24697	3.94030	4.86518
11	2.60321	3.05347	3.81575	4.57481	5.57779
12	3.07382	3.57056	4.40379	5.22603	6.30380
13	3.56503	4.10691	5.00874	5.89186	7.04150
14	4.07468	4.66043	5.62872	6.57063	7.78953
15	4.60094	5.22935	6.26214	7.26094	8.54675
16	5.14224	5.81221	6.90766	7.96164	9.31223
17	5.69724	6.40776	7.56418	8.67176	10.0852
18	6.26481	7.01491	8.23075	9.39046	10.8649
19	6.84398	7.63273	8.90655	10.1170	11.6509
20	7.43386	8.26040	9.59083	10.8508	12.4426
21	8.03366	8.89720	10.28293	11.5913	13.2396
22	8.64272	9.54249	10.9823	12.3380	14.0415
23	9.26042	10.19567	11.6885	13.0905	14.8479
24	9.88623	10.8564	12.4011	13.8484	15.6587
25	10.5197	11.5240	13.1197	14.6114	16.4734
26	11.1603	12.1981	13.8439	15.3791	17.2919
27	11.8076	12.8786	14.5733	16.1513	18.1138
28	12.4613	13.5648	15.3079	16.9279	18.9392
29	13.1211	14.2565	16.0471	17.7083	19.7677
30	13.7867	14.9535	16.7908	18.4926	20.5992
40	20.7065	22.1643	24.4331	26.5093	29.0505
50	27.9907	29.7067	32.3574	34.7642	37.6886
60	35.5346	37.4848	40.4817	43.1879	46.4589
70	43.2752	45.4418	48.7576	51.7393	55.3290
80	51.1720	53.5400	57.1532	60.3915	64.2778
90	59.1963	61.7541	65.6466	69.1260	73.2912
100	67.3276	70.0648	74.2219	77.9295	82.3581

		d=0.035	d=0.0	d=0.00	of '	ables 851	
Table (Continued)		J	1	J	ĺ	r V	
$\chi^2_{0.100}$	$\chi^{2}_{0.050}$	$\chi^2_{0.025}$	$\chi^{2}_{0.010}$	$\chi^{2}_{0.005}$	df	22-2-	
2.70554	3.84146	5.02389	6.63490	7.87944	1	V=20	
4.60517	5.99147	7.37776	9.21034	10.5966	2	2	
6.25139	7.81473	9.34840	11.3449	12.8381	3	2216	
7.77944	9.48773	11.1433	13.2767	14.8602	4	16 0.05 - 31.	
9.23635	11.0705	12.8325	15.0863	16.7496	5		
10.6446	12.5916	14.4494	16.8119	18.5476	6		
12.0170	14.0671	16.0128	18.4753	20.2777	7	.2	
13.3616	15.5073	17.5346	20.0902	21.9550	8	74	
14.6837	16.9190	19.0228	21.6660	23.5893	9	/ V.W	
15.9871	18.3070	20.4831	23.2093	25.1882	10	l	
17.2750	19.6751	21.9200	24.7250	26.7569	11		
18.5494	21.0261	23.3367	26.2170	28.2995	12	.2	
19.8119	22.3621	24.7356	27.6883	29.8194	13	Y	
21.0642	23.6848	26.1190	29.1413	31.3193	14	16 23, 0.03	
22.3072	24.9958	27.4884	30.5779	32.8013	15	-	
23.5418	26.2962	28.8454	31.9999	34.2672	16		
24.7690	27.5871	30.1910	33.4087	35.7185	17		
25.9894	28.8693	31.5264	34.8053	37.1564	18		
27.2036	30.1435	32.8523	36.1908	38.5822	19		
28.4120	31,4104	34.1696	37.5662	39,9968	(20)		
29.6151	32.6705	35.4789	38.9321	41.4010	21		
30.8133	33.9244	36.7807	40.2894	42.7956	22		
32.0069	35.1725	38.0757	41.6384	44.1813	23		
33.1963	36.4151	39.3641	42.9798	45.5585	24		
34.3816	37.6525	40.6465	44.3141	46.9278	25		
35.5631	38.8852	41.9232	45.6417	48.2899	26		
36.7412	40.1133	43.1944	46.9630	49.6449	27		
37.9159					28		
39.0875	41.3372 42.5569	44.4607 45.7222	48.2782 49.5879	50.9933 52.3356	28 29		
40.2560 51.8050	43.7729 55.7585	46.9792	50.8922	53.6720	30 40		
		59.3417	63.6907	66.7659			
63.1671	67.5048	71.4202	76.1539	79.4900	50		
74.3970	79.0819	83.2976	88.3794	91.9517	60		
85.5271	90.5312	95.0231	100.425	104.215	70		
96.5782	101.879	106.629	112.329	116.321	80		
107.565	113.145	118.136	124.116	128.299	90		
118.498	124.342	129.561	135.807	140.169	100		

From "Tables of the Percentage Points of the χ^2 -Distribution." *Biometrika*, Vol. 32 (1941), pp. 188–189, by Catherine M. Thompson.